



AIR-CHIEF

STANDARD FEATURES:

- 20" Wide Soft Seat Cushion (optional 23")
- 20.5" Wide Tall Back Cushion
- Arms Front Adjustable (Optional)
- Triple Chamber Air-Lumbar Support System
- FAS (Foam Adjustment System) (Optional)
- 3-Position Seat Cushion Extension & Tilt Adjustment
- Fore & Aft Slides (7 Inch Tracks)
- Poly-Dynamic Air-Suspension™
- Integrated Isolator
- ICP -moves with Suspension & Isolator
- Bellow (Optional)

Optional:

FAS system includes:

Triple chamber air-lumbar support system to adjust the posterior pelvic tilt, which is important for proper posture.

Dual chamber side bolster support system. Allows for adjustment of the side bolsters to provide lateral support.

Part # shown: 98CH-S82TB0S15

CONTACT US AT:
INFO@KNOEDLER.COM
TEL: 450-445-4777

WWW.KNOEDLER.COM



Air-Chief Part Numbers

DESCRIPTION	PART NUMBER										
Standard Tall Back (bellow, isolator)	98	C	H	-	S	72	TB	0	X	01	
Add ProBax System	12										
Add FAS				-	L						
Add FAS and lower seat by 2"		L	R	-	L						
Increase Cushion width to 23" (Not available with ProBax)			W								
Add arms						82					
Mid Back & Head Rest							MH				
Remove headrest							MB				
Add heat								H			
Matrix									X		
Mordura									D		
Synthetic Leather									S		
Genuine Leather									L		
Black										01	
Brown										02	
Tan										03	
Gray										05	
Red										06	
Black/Brown										12	
Black/Tan										13	
Black/Gray										15	
Black/Red										16	
Add Options:											
ProBax Kit	730147-000										
Massage	730113-000										
Memory Foam	731152-000										
Heat	730130-000										
Heat & Cool	730114-000										
Swivel (pneumatic)	731153-000										



O P T I O N S


My name is Kay Lameyer, and my husband Jim and I are the owners of Blue Thunder Trucking. You might not remember us, but we have never forgotten you.

A little over two years ago, we were working with our Kenworth T800 Tandem Dump Truck in our hometown of Colorado Springs, CO. We were considering closing our business because Jim was in so much pain. His head, back and knee hurt daily. We tried everything from therapy, exercise, and medication. We even moved to the Arizona/Nevada area hoping the warm climate would help him.


The real answer came for us after we attended the 2006 Truck Show in Las Vegas, NV. Knoedler Manufacturers had their seats on display. They told us about the quality and craftsmanship of a Knoedler seat, and we purchased The Chief seat after the show.

This was the best investment we ever made. The seat was installed in half an hour, and Jim noticed the difference immediately. He has felt incredible relief since the first day. Blue Thunder is a strong company again, and Jim tells everyone about his Knoedler seat. We want everyone to know why it is the best seat in America, and what a difference it has made in our lives.

**Swivel Kit Remote Actuating
(excluding Slides)**
Part #: 731153-000



HD-Suspension Upgrade
Part #: 730148-000



**Massage System Kit
8-Motors**
Part #: 730113-000



Memory Foam Kit
Part #: 731152-000



**Standard Seat fits all Legacy Kenworth & Peterbilt Models.
Most Freightliner Trucks**

International Adaptor:
Part #: RR07-INTER-000



Volvo Trucks Adaptor
Part #:RR00-22VO-000




Freightliner EZ Rider Adaptor
Part #: RR12-FL01-000



**Kenworth & Peterbilt New
2.1 Meter Cab Adaptor**
Part #: RR15-KWPB-000





NOTE:

If you opted for the 2" lower seat, then subtract 2" from the height dimensions shown above.

NOTE: It is the responsibility of the installer to determine the suitability for use of this product in each application. The drawings are for reference purpose only

WARNING: Serious injury may occur if head clearance is not adequate. After installing seat and before riding or driving the vehicle, ensure there is adequate head clearance at maximum upward travel of seat.

In order to reach the highest position of the seat, while sitting in seat, slowly raise the seat to its maximum height by actuating the suspension air control valve.

